

क्षे. रे. प्र. संस्थान. मध्य रेल.भसावल / ZRTI.Central Railway. Bhusawal

Result of Ref. Technician Elect.Train Lighting/AC (Course Code:RGAT0416)

Course Period: From- 07-08-2015 To- 27-08-2015

Cours Category: Non-Safety

Result declared on

रेल्वी मैनेजर से प्राप्त रिपोर्ट (Report From 'Trainee Manager')

Tr ID	Trainee Name	Div/HQ	Caste	Group D	Written (50)	Practical (50)	Total (100)	Total %	Over all Result
51383	SMT. MANISHA V. NARSINGK/	NGP/NGP	OBC	No	39	38	77	77.00	Pass
51385	AMLESH TULSIRAM	NGP/NGP	SC	No	39	37	76	76.00	Pass
51367	VASANT PANDURANG MEMAN	BB/CSTM	ST	No	41	35	76	76.00	Pass
51368	TANAJI JAGNNATH UGHAD	SUR/KWV	GENERAL	No	37	38	75	75.00	Pass
51369	KUM. MEENU RAJPUT	JBP/JBP	GENERAL	No	37	37	74	74.00	Pass
20182	NOOR MOHD. AB. RAZZAQUE	BSL/BSL	GENERAL	No	38	35	73	73.00	Pass
51384	CHANDRAKANT PRAKASH KH/	BB/CSTM	SC	No	38	33	71	71.00	Pass
51382	ROSMEARY B. WAGHMARE	NGP/NGP	SC	No	32	37	69	69.00	Pass
51370	KUM. ANJU KORI	JBP/JBP	SC	No	30	39	69	69.00	Pass
51365	VIKRAM V. GANGURDE	BB/DR	SC	No	34	34	68	68.00	Pass
51364	SMT. RAJANI SANJAY KILNAKI	NGP/BPQ	ST	No	31	32	63	63.00	Pass
51366	GOGA S. DONDE	BB/MZN	SC	No	14	27	41	41.00	Fail
51395	ARMAAN BISMILLAH TADVI	PA/STR	ST	No	14	25	39	39.00	Fail
51391	RAMESH YASHVANT PAWALE (	PA/PA	GENERAL	No	11	26	37	37.00	Fail

Tr ID	Trainee Name	Div/HQ	Caste	Group D	Written (50)	Practical (50)	Total (100)	Total %	Over all Result
-------	--------------	--------	-------	------------	-----------------	-------------------	----------------	------------	-----------------

Office of the Principal/ZRTI/BSL

Memo No. Ref:Ref. Technician Elect. Train Lighting/AC/R/RGAT0416	27-08-2015
Forwarded to ALL CONCERNED	


 ADEE(L)

For Principal
ZRTI /BSL

- NB: 1) Passing percentage for safety category is 60 % for all candidates
 2) Passing percentage for general candidates of non-safety category is 50 %.
 3) Passing percentage for SC/ST candidates of non-safety category is 40 %.
 4) Passing percentage for Group-D candidates of non-safety category is 40%.
 5) Passing percentage for both SC/ST & Group D candidates of non-safety category is 30%.


 P. Z. R. T. I. BSL